





# Albuwell Hu (Human Albumin ELISA) Kit Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Initial date: 21 NOV 2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Multi-component kit, mixtures

astralR<sub>x</sub>

Product name : Albuwell Hu (Human Albumin ELISA) Kit

Product code : 1004

Contents : Albuwell Assay Plate, NHEBSA (Diluent) (contains ProClin 300 & sodium hydroxide), Human

> Serum Albumin (hSA) Standard in NHEBSA Diluent, Anti-human Albumin Ab-HRP Conjugate (contains ProClin 300), Color Developer (contains methanol, dimethylsulfoxide, acetone, hydrogen peroxide, & tetramethylbenzidine), and Color Stopper (contains sulfuric acid)

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses : Laboratory research; for professional use only

1.2.2. Uses advised against : Not for diagnostic use

## 1.3. Details of the supplier of the safety data sheet

Ethos Biosciences Inc. 2070 Center Square Road

Logan Township NJ 08085 - United States

T+1 856 224 0900

800-441-0366 Technical Service; Monday-Friday: 8:00 AM-5:00 PM, Eastern US Time

www.ethosbiosciences.com

# 1.4. Emergency telephone number

: 800-424-9300 CHEMTREC (USA) -- 24 Hours/Day, 7 Days/Week **Emergency number** 

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

#### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

### 2.2. Label elements

## Labelling according to Regulation (EC) No. 1272/2008 [CLP]

No labelling applicable

#### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
water	(CAS-No.) 7732-18-5	60-99	Not classified
Bovine Serum Albumin	(CAS-No.) 9048-46-8	< 0.25	Not classified
sodium chloride	(CAS-No.) 7647-14-5 (EC-No.) 231-598-3	< 0.9	Not classified
sulfuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	< 9.8	Skin Corr. 1A, H314
HEPES	(CAS-No.) 7365-45-9	< 1.2	Not classified
3,3',5,5'-Tetramethylbenzidine, dihydrochloride hydrate (TMB)	(CAS-No.) 207738-08-7	< 0.01	Not classified
ProClin 300	(CAS-No.) N/A (EC-No.) 932-593-5	< 0.05	Acute Tox. 4 (Oral), H302; Acute Tox. 4 (Dermal), H312; Acute Tox. 4 (Inhalation), H332; Skin Corr. 1A, H314; Skin Sens. 1, H317; Aq. Chronic 2; H411
dimethyl sulfoxide (DMSO)	(CAS-No.) 67-68-5	< 10	Not classified
Human Serum Albumin	(CAS-No.) 70024-90-7	< 0.002	Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2-amino-2-(hydroxymethyl)-1,3-propanediol, hydrochloride (Tris-HCl)	(CAS-No.) 1185-53-1 (EC-No.) 214-684-5	< 0.05	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3 (Resp.), H335
ethylenediaminetetraacetate tetrasodium salt dihydrate (EDTA)	(CAS-No.) 10378-23-1 (EC-No.) 200-573-9	< 0.08	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
acetone	(CAS-No)67-64-1 (EC-no)200-662-2 (EC-index no) 606-001-00-8	< 5	Flam. Liq. 2, H225 Eye Irrit. 2A, H319 STOT SE 3, H336
methanol	(CAS-No)67-56-1 (EC-no)200-659-6 (EC index no) 603-001-00-X	< 25	Flam. Liq. 2, H225 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Acute Tox. 3 (Oral), H301 STOT SE 1, H370
hydrogen peroxide	(CAS-No.) 7722-84-1 (EC-No.) 231-765-0 (EC Index-No.) 008-003-00-9	< 0.006	Eye Dam. 1, H318 Acute Tox. 4 (Oral), H302
sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6	< 0.05	Met. Corr. 1, H290 Skin Corr. 1A, H314

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
sulfuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5 (EC Index-No.) 016-020-00-8	( 5 = <c 15)="" 2,="" <="" eye="" h319<br="" irrit.="">( 5 =<c 15)="" 2,="" <="" h315<br="" irrit.="" skin="">(C &gt;= 15) Skin Corr. 1A, H314</c></c>
sodium hydroxide	(CAS-No.) 1310-73-2 (EC-No.) 215-185-5 (EC Index-No.) 011-002-00-6	(0.5 = <c 2)="" 2,="" <="" eye="" h319<br="" irrit.="">(0.5 =<c 2)="" 2,="" <="" h315<br="" irrit.="" skin="">(2 =<c 1b,="" 5)="" <="" corr.="" h314<br="" skin="">(5 =<c 100)="" 1a,="" <="" corr.="" h314<="" skin="" td=""></c></c></c></c>
methanol	(CAS-No.) 67-56-1 (EC-No.) 200-659-6 (EC Index-No.) 603-001-00-X	( 3 = <c 10)="" 2,="" <="" h371<br="" se="" stot="">( 10 =<c 1,="" 100)="" <="" h370<="" se="" stot="" td=""></c></c>

Full text of H-statements and CLP abbreviations: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

: Remove person to fresh air and keep comfortable for breathing. First-aid measures after inhalation

First-aid measures after skin contact : Wash skin with plenty of water. First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

# 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

**Emergency procedures** : Ventilate spillage area.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

: Dispose of materials or solid residues at an authorized site. Other information

#### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

: Do not eat, drink or smoke when using this product. Always wash hands after handling the Hygiene measures

product.

# 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

# 7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection			
8.1. Control parameters			
sulfuric acid (7664-93-9)			
EU	IOELV TWA (mg/m³)		0.05 mg/m <sup>3</sup>
acetone (67-64-1)			
EU - Occupational Exposure Limit	EU - Occupational Exposure Limits		
IOELV TWA (mg/m³)		1210 mg/m³	
IOELV TWA (ppm)		500 ppm	
methanol (67-56-1)			
EU - Occupational Exposure Limit	EU - Occupational Exposure Limits		
IOELV TWA (mg/m³) 260 mg/m³			
IOELV TWA (ppm) 200 ppm			
sodium hydroxide (1310-73-2	sodium hydroxide (1310-73-2)		
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)		
Long-term - local effects, inhalation	n 1 m	g/m³	
DNEL/DMEL (General population)			
Long-term - local effects, inhalation 1 mg/m³			
dimethyl sulfoxide (DMSO) (67-68-5)			
DNEL/DMEL (Workers)	DNEL/DMEL (Workers)		
Long-term - systemic effects, dern	nal 200	200 mg/kg bw/day	
Long-term - systemic effects, inha	lation 484	484 mg/m³	
Long-term - local effects, inhalation	ral effects, inhalation 265 mg/m³		
DNEL/DMEL (General population)			
Long-term - systemic effects,oral	n - systemic effects,oral 60 mg/kg bw/day		
Long-term - systemic effects, inha	ffects, inhalation 120 mg/m³		
Long-term - systemic effects, dern	nal 100	100 mg/kg bw/day	
Long-term - local effects, inhalatio	ffects, inhalation 47 mg/m³		

EN (English) 21 NOV 2022 3/11

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

HEPES (7365-45-9)	
DNEL/DMEL (Workers)	
Long-term - systemic effects, dermal	3.33 mg/kg bw/day
Long-term - systemic effects, inhalation	23.5 mg/m <sup>3</sup>
DNEL/DMEL (General population)	
Long-term - systemic effects,oral	1.67 mg/kg bw/day
Long-term - systemic effects, inhalation	5.8 mg/m <sup>3</sup>
Long-term - systemic effects, dermal	1.67 mg/kg bw/day

# 8.2. Exposure controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:
Protective gloves
Eye protection:
Safety glasses
Skin and body protection:
Wear suitable protective clothing
Respiratory protection:

# In case of insufficient ventilation, wear suitable respiratory equipment **Environmental exposure controls:**

Avoid release to the environment.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Varies
Odour	: No data available
Odour threshold	: No data available
рН	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapour pressure	: No data available
Relative vapour density at 20 °C	: No data available
Relative density	: No data available
Solubility	: No data available
Log Pow	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available

# 9.2. Other information

Oxidising properties

**Explosive limits** 

No additional information available

: No data available

: No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

LD50 oral rat

The product is non-reactive under normal conditions of use, storage, and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Hazardous decomposition products.

SECTION 11: Toxicological inform	nation	
11.1. Information on toxicological e	ffects	
Acute toxicity (oral)	: Not classified	

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Acute toxicity (illifatation)	Not classified
sodium chloride (7647-14-5)	
LD50 oral rat	> 3980 mg/kg bodyweight (Rat, Experimental value)
LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Experimental value)
LC50 inhalation rat (mg/l)	> 42 mg/l air (1 h, Rat, Male, Experimental value)
sulfuric acid (7664-93-9)	
LD50 oral rat	2140 mg/kg bodyweight (Rat, Experimental value)
acetone (67-64-1)	

LD50 dermal rabbit	20000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Male, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	76 mg/l (Other, 4 h, Rat, Female, Experimental value, Inhalation (vapours))
methanol (67-56-1)	
LD50 oral rat	1187 - 2769 mg/kg bodyweight (BASF test, Rat, Male / female, Weight of evidence, Aqueous solution, Oral, 7 day(s))
LD50 dermal rabbit	17100 mg/kg (Rabbit, Inconclusive, insufficient data, Dermal)
LC50 inhalation rat (mg/l)	128.2 mg/l air (BASF test, 4 h, Rat, Male / female, Experimental value, Inhalation

5800 mg/kg (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral)

, ,	(vapours))
dimethyl sulfoxide (DMSO) (67-68-5)	
LD50 oral rat	28300 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rat	40000 mg/kg bodyweight (Rat, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	> 5.33 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation)
HEPES (7365-45-9)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))

	Experimental value, Dermal, 14 day(s))
ethylenediaminetetraacetate tetrasodium salt dihydrate (EDTA) (10378-23-1)	
LD50 oral rat	1780 mg/kg (Rat)
LD50 inhalation rat	1.5 mg/l (Rat)

LD50 inhalation rat	1.5 mg/l (Rat)
ProClin 300 (n/a)	
LD50 oral rat	53 mg/kg (Rat)

EC50 72h algae (1)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified

Aspiration nazard	. Not classified	
SECTION 12: Ecological information	n	
12.1. Toxicity		
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term	
	adverse effects in the environment.	
Acute aquatic toxicity	: Not classified	
Chronic aquatic toxicity	: Not classified	
sodium chloride (7647-14-5)		
LC50 fish 1	5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value)	
acetone (67-64-1)		
LC50 fish 1	5540 mg/l (EU Method C.1, 96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 96h algae (1)	> 7000 mg/l (Selenastrum capricornutum, Static system, Fresh water, Experimental value, Nominal concentration)	
dimethyl sulfoxide (DMSO) (67-68-5)		
LC50 fish 1	> 25 g/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Brachydanio rerio, Static system, Fresh water, Experimental value, Lethal)	
EC50 Daphnia 1	24.6 g/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)	
EC50 72h algae (1)	17 g/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)	
sulfuric acid (7664-93-9)		
LC50 fish 1	42 mg/l (96 h, Gambusia affinis)	
EC50 Daphnia 1	29 mg/l (24 h, Daphnia magna)	
HEPES (7365-45-9)		
LC50 fish 1	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, Nominal concentration)	
EC50 Daphnia 1	> 100 g/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)	
EC50 72h algae (1)	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)	
ProClin 300 (n/a)	ProClin 300 (n/a)	
LC50 fish 1	1.6 mg/l (Oncorhynchus mykiss, 96 h, semi-static system)	
EC50 Daphnia 1	0.12 - 0.3 mg/l (Daphnia magna, 48 h, flow through)	

0.03 - 0.13mg/l (Pseudokirchneriella subcapitata, 96 h, Static system)

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

methanol (67-56-1)	
LC50 fish 1	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semistatic system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	22000 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)
sodium hydroxide (1310-73-2)	
LC50 fish 1	45.4 mg/l (96 h, Salmo gairdneri, Static system, Fresh water, Experimental value, Solution >=50%)
EC50 Daphnia 1	40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Nominal concentration)

12.2. Persistence and degradability		
Bovine Serum Albumin (9048-46-8)		
Persistence and degradability	Readily biodegradable in water.	
sodium chloride (7647-14-5)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
sulfuric acid (7664-93-9)		
Persistence and degradability	Biodegradability: not applicable.	
Biochemical oxygen demand (BOD)	Not applicable	
Chemical oxygen demand (COD)	Not applicable	
ThOD	Not applicable	
BOD (% of ThOD)	Not applicable	
acetone (67-64-1)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.43 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.92 g O <sub>2</sub> /g substance	
ThOD	2.2 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.872 (20 day(s), Literature study)	
dimethyl sulfoxide (DMSO) (67-68-5)		
Persistence and degradability	Not readily biodegradable in water.	
HEPES (7365-45-9)		
Persistence and degradability	Not readily biodegradable in water.	
sodium hydroxide (1310-73-2)	sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.	
Chemical oxygen demand (COD)	Not applicable (inorganic)	
ThOD	Not applicable (inorganic)	
methanol (67-56-1)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.42 g O <sub>2</sub> /g substance	
ThOD	1.5 g O <sub>2</sub> /g substance	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

um chloride (7647-14-5)	
Pow	-3 (Calculated)
ccumulative potential	Not bioaccumulative.
one (67-64-1)	
fish 1	0.69 (Pisces)
other aquatic organisms 1	3 (BCFWIN, Calculated value)
Pow	-0.24 (Test data)
ccumulative potential	Not bioaccumulative.
ethyl sulfoxide (DMSO) (67-68-5)	
fish 1	< 0.4 (Cyprinus carpio, Test duration: 6 weeks)
Pow	-1.35 (Experimental value, 20 °C)
ccumulative potential	Not bioaccumulative.
ES (7365-45-9)	
	< -3.85 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
ccumulative potential	Not bioaccumulative.
ium hydroxide (1310-73-2)	
ccumulative potential	Not bioaccumulative.
Clin 300 (n/a)	
Pow	0.75
uric acid (7664-93-9)	
Pow	-2.2 (Estimated value)
ccumulative potential	Not bioaccumulative.
. Mobility in soil	
ium chloride (7647-14-5)	
ace tension	73.03 mN/m (23 °C, 14.5 g/l)
ogy - soil	No (test)data on mobility of the substance available.
tone (67-64-1)	
ace tension	0.0237 N/m
ogy - soil	No (test)data on mobility of the substance available.
ethyl sulfoxide (DMSO) (67-68-5)	
ace tension	0.0435 N/m (20 °C, 10 g/l)
Кос	0.64 (log Koc, SRC PCKOCWIN v1.66, Calculated value)
PES (7365-45-9)	
face tension	63.98 mN/m (20 °C, 1.082 g/l, OECD 115: Surface Tension of Aqueous Solutions)
Кос	< 1.32 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)
logy - soil	Highly mobile in soil.
thanol (67-56-1)	
ace tension	0.023 N/m (20 °C)
Кос	0.088 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
logy - soil	Highly mobile in soil.

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.5. Results of PBT and vPvB assessment		
Component	nponent	
sodium chloride (7647-14-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
acetone (67-64-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
sodium hydroxide (1310-73-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	
methanol (67-56-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII	

# 12.6. Other adverse effects

Other information

No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

Waste treatment methods : Waste treatment methods.

waste treatment methods	. Waste treatment methods.
SECTION 14: Transport information	
In accordance with ADR / RID / IMDG / IATA / ADN	
14.1. UN number	
UN-No. (ADR)	: Not applicable
UN-No. (IMDG)	: Not applicable
UN-No. (IATA)	: Not applicable
UN-No. (ADN)	: Not applicable
UN-No. (RID)	: Not applicable
14.2. UN proper shipping name	
Proper Shipping Name (ADR)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Proper Shipping Name (IATA)	: Not applicable
Proper Shipping Name (ADN)	: Not applicable
Proper Shipping Name (RID)	: Not applicable
14.3. Transport hazard class(es)	
ADR	
Transport hazard class(es) (ADR)	: Not applicable
IMDG	
Transport hazard class(es) (IMDG)	: Not applicable
IATA	
Transport hazard class(es) (IATA)	: Not applicable
ADN	
Transport hazard class(es) (ADN)	: Not applicable
RID	•
Transport hazard class(es) (RID)	: Not applicable
14.4. Packing group	. Not applicable
Packing group (ADR)	: Not applicable
Packing group (IMDG)	: Not applicable
Packing group (IATA)	: Not applicable
Packing group (ADN)	: Not applicable
Packing group (RID)	: Not applicable
14.5. Environmental hazards	
Dangerous for the environment	: No
Marine pollutant	: No

: No supplementary information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Inland waterway transport

Not applicable

## Rail transport

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

Contains no substance on the REACH candidate list Directive 2012/18/EU (SEVESO III)

# 15.1.2. National regulations

No additional information available

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

#### **SECTION 16: Other information**

Issue date : 21 NOV 2022

Full text of H-phrases and CLP abbreviations:

H225	Highly flammable liquid and vapor
H290	May be corrosive to metals
H301	Toxic if swallowed
H302	Harmful if swallowed
H311	Toxic in contact with skin
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H411	Toxic to aquatic life with long lasting effects

21 NOV 2022 EN (English) 10/11

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Flam. Liq. 2	Flammable liquids, Category 2
Met. Corr. 1	Corrosive to Metals, Category 1
Acute Tox. 3 (Oral)	Acute toxicity, oral; Category 3
Acute Tox. 4 (Oral)	Acute toxicity, oral; Category 4
Acute Tox. 3 (Dermal)	Acute toxicity, dermal; Category 3
Acute Tox. 4 (Dermal)	Acute toxicity, dermal; Category 4
Skin Corr. 1A	Skin corrosion/irritation, Category 1A
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Sensitization, Skin; Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2A	Serious eye damage/eye irritation, Category 2A
Acute Tox. 3 (Inhalation)	Acute toxicity, inhalation; Category 3
Acute Tox. 4 (Inhalation)	Acute toxicity, inhalation; Category 4
STOT SE 3 (Resp.)	Specific target organ toxicity, single exposure; Respiratory tract irritation; Category 3
STOT SE 3	Specific target organ toxicity, single exposure; Narcotic effects; Category 3
STOT SE 1	Specific target organ toxicity, single exposure; Category 1
Aq. Chronic 2	Hazardous to the aquatic environment, long-term hazard

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethos Biosciences, Inc. provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Ethos Biosciences, Inc. makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Ethos Biosciences, Inc. will not be responsible for damages resulting from the use of or reliance upon this information.