

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision date: 19 DEC 2022

| SECTION 1: Identification | |
|--|--|
| 1.1. Identification | |
| Product form | : Mixture |
| Product name | : Formalin 20%, Non-Buffered |
| Product code | : 3296-G, 3296-5G, 3296-55 |
| 1.2. Recommended use and restriction | s on use |
| Use of the substance/mixture | : For laboratory and manufacturing use only. |
| 1.3. Supplier | |
| Astral Diagnostics Inc. Logan Township NJ 08085 - United States | |
| T +1 856 224 0900 | |
| 800-441-0366 Technical Service; Monday-Frida | ay: 8:00AM-5:00 PM, Eastern US Time |
| www.ethosbiosciences.com | |
| 1.4. Emergency telephone number | |
| Emergency number | : 800-424-9300 CHEMTREC (USA) 24 Hours/Day, 7 Days/Week |
| SECTION 2: Hazard(s) identification | |
| 2.1. Classification of the substance or l | nixture |
| GHS-US classification | |
| Skin corrosion/irritation Category 2 | H315 Causes skin irritation |
| Serious eye damage/eye irritation Category 1 | H318 Causes serious eye damage |
| Carcinogenicity Category 1A | H350 May cause cancer (Inhalation) |
| Specific target organ toxicity (single exposure) | H370 Causes damage to organs |
| Category 1 Hazardous to the aquatic environment - Acute H Category 3 | lazard H402 Harmful to aquatic life |
| Full text of H statements : see section 16 | |
| | cautionary statements |
| 2.2. GHS Label elements, including pre GHS-US labeling | cautionary statements |
| Hazard pictograms (GHS-US) | |
| | |
| | |
| | |
| | GHS05 GHS07 GHS08 |
| Signal word (GHS-US) | : Danger |
| Hazard statements (GHS-US) | : H315 - Causes skin irritation |
| | H318 - Causes serious eye damage |
| | H350 - May cause cancer (Inhalation) H370 - Causes damage to organs |
| | H402 - Harmful to aquatic life |
| Precautionary statements (GHS-US) | : P203 - Obtain, read and follow all safety instructions before use. |
| | P264 - Wash exposed skin thoroughly after handling P272 - Contaminated work clothing should not be allowed out of the workplace |
| | P273 - Avoid release to the environment |
| | P280 - Wear protective gloves, protective clothing, eye protection, face protection |
| | P302+P352 - IF ON SKIN: Wash with plenty of soap and water P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing |
| | P308+P313 - IF exposed or concerned: Get medical advice/attention |
| | P310 - Immediately call a poison center or doctor/physician P333+P313 - If skin irritation or rash occurs: Get medical advice/attention |
| | P362+P364 - Take off contaminated clothing and wash it before reuse |
| | P405 - Store locked up P501 - Dispose of contents/container to comply with local, state and federal regulations |
| 19 DEC 2022 | |
| 19 DEC 2022 | EN (English US) Page 1 |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other hazards which do not result in classification 2.3.

Other hazards not contributing to the : None. classification

Unknown acute toxicity (GHS US) 2.4.

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. **Substances**

Not applicable

3.2. **Mixtures**

| Name | Product identifier | % | GHS-US classification |
|--------------|---------------------|------|--|
| Water | (CAS-No.) 7732-18-5 | > 90 | Not classified |
| Formaldehyde | (CAS-No.) 50-00-0 | < 8 | Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Acute Tox. 2 (Inhalation:vapor), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Carc. 1A, H350 STOT SE 1, H370 Aquatic Acute 2, H401 |
| Methanol | (CAS-No.) 67-56-1 | < 2 | Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370 |

Full text of hazard classes and H-statements : see section 16

| SECTION 4: First-aid measures | |
|--|--|
| 4.1. Description of first aid measures | |
| First-aid measures general | : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | : Allow victim to breathe fresh air. Allow the victim to rest. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center or doctor/physician. |
| First-aid measures after ingestion | : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. |
| 4.2. Most important symptoms and effec | ts (acute and delayed) |
| Symptoms/effects after inhalation | : May cause an allergic skin reaction. May cause cancer by inhalation. |
| Symptoms/effects after skin contact | : Causes skin irritation. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : Nausea. Vomiting. Diarrhea. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract. |

Immediate medical attention and special treatment, if necessary 4.3.

Obtain medical assistance.

| SECI | FION 5: Fire-fighting measu | Ires |
|---------|--|--|
| 5.1. | Suitable (and unsuitable) extin | nguishing media |
| Suitabl | le extinguishing media | : Foam. Dry powder. Carbon dioxide. Water spray. Sand. |
| Unsuita | able extinguishing media | : Do not use a heavy water stream. |
| 5.2. | Specific hazards arising from | the chemical |
| No ado | ditional information available | |
| | | |
| 5.3. | Special protective equipment | and precautions for fire-fighters |
| | Special protective equipment hting instructions | and precautions for fire-fighters Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment. |
| Firefig | | : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 6: Accidental release meas | ures | |
|--|---|--|
| 6.1. Personal precautions, protective equipment and emergency procedures | | |
| 6.1.1. For non-emergency personnel | | |
| Protective equipment | : Safety glasses. Protective clothing. Gloves. Combined gas/dust mask with filter type A/P3. | |
| Emergency procedures | : Evacuate unnecessary personnel. | |
| 6.1.2. For emergency responders | | |
| Protective equipment | : Equip cleanup crew with proper protection. | |
| Emergency procedures | : Ventilate area. | |
| 6.2. Environmental precautions | | |
| Prevent entry to sewers and public waters. Notify | authorities if liquid enters sewers or public waters. Avoid release to the environment. | |
| 6.3. Methods and material for containment | nt and cleaning up | |
| Methods for cleaning up | : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. | |
| 6.4. Reference to other sections | | |
| See section 8. Exposure controls and personal pr | otection. | |
| SECTION 7: Handling and storage | | |
| 7.1. Precautions for safe handling | | |
| Precautions for safe handling | : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Avoid breathing gas, mist, vapors, spray. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. | |
| Hygiene measures | : Wash exposed skin thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. | |
| 7.2. Conditions for safe storage, includin | g any incompatibilities | |
| Storage conditions | : Keep only in the original container in a cool, well ventilated place away from : Heat sources. Keep container closed when not in use. | |
| Incompatible products | : Strong oxidizers. Strong bases. Strong acids. | |
| Incompatible materials : Sources of ignition. Direct sunlight. | | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Formaldehyde (50-00-0) | | | |
|------------------------|------------------------------------|--|--|
| ACGIH | ACGIH Ceiling (mg/m ³) | 0.37 mg/m³ | |
| OSHA | OSHA PEL (TWA) (ppm) | 0.75 ppm | |
| OSHA | OSHA PEL (STEL) (ppm) | 2 ppm | |
| IDLH | US IDLH (ppm) | 20 ppm | |
| NIOSH | NIOSH REL (TWA) (ppm) | 0.016 ppm | |
| NIOSH | NIOSH REL (ceiling) (ppm) | 0.1 ppm 15 min. | |
| Methanol (67-56-1) | Methanol (67-56-1) | | |
| ACGIH | ACGIH TWA (ppm) | 200 ppm (Methanol; USA; Time-weighted average exposure limit 8 h; TLV - Adopted Value) | |
| ACGIH | ACGIH STEL (ppm) | 250 ppm (Methanol; USA; Short time value; TLV - Adopted Value) | |
| OSHA | OSHA PEL (TWA) (mg/m³) | 260 mg/m ³ | |
| OSHA | OSHA PEL (TWA) (ppm) | 200 ppm | |
| IDLH | US IDLH (ppm) | 6000 ppm | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Methanol (67-56-1) | | | |
|--------------------|---------------------------------------|-----------------------|--|
| NIOSH | NIOSH REL (TWA) (mg/m ³) | 250 mg/m³ | |
| NIOSH | NIOSH REL (TWA) (ppm) | 200 ppm | |
| NIOSH | NIOSH REL (STEL) (mg/m ³) | 325 mg/m ³ | |
| NIOSH | NIOSH REL (STEL) (ppm) | 250 ppm | |
| NIOSH | Remark (NIOSH) | Skin | |
| Water (7732-18-5) | | | |
| Not applicable | | | |

8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Provide adequate general and local exhaust ventilation.

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

Safety glasses. Gloves. Protective clothing. Gas mask at concentration in the air > TLV.



Hand protection:

Wear protective gloves

Eye protection:

Chemical goggles or safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear appropriate mask

Other information:

Do not eat, drink or smoke during use.

| SECTION 9: Physical and chemical properties | | |
|---|---------------------|--|
| 9.1. Information on basic physical and | chemical properties | |
| Physical state | : Liquid | |
| Color | : Colorless | |
| Odor | : Characteristic | |
| Odor threshold | : No data available | |
| рН | : No data available | |
| Melting point | : No data available | |
| Freezing point | : No data available | |
| Boiling point | : No data available | |
| Flash point | : No data available | |
| Relative evaporation rate (butyl acetate=1) | : No data available | |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Flammability (solid, gas) | : Non flammable. |
|---------------------------------|----------------------|
| Vapor pressure | : No data available |
| Relative vapor density at 20 °C | : No data available |
| Relative density | : No data available |
| Solubility | : Soluble in water. |
| Log Pow | : No data available |
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Viscosity, kinematic | : No data available |
| Viscosity, dynamic | : No data available |
| Explosion limits | : No data available |
| Explosive properties | : No data available. |
| Oxidizing properties | : No data available. |

9.2. Other information

No additional information available

| SECTION 10: Stability and reactivity | | |
|--|--|--|
| 10.1. Reactivity | | |
| No additional information available | | |
| 10.2. Chemical stability | | |
| Stable under normal conditions. | | |
| 10.3. Possibility of hazardous reactions | | |
| Not established. | | |
| 10.4. Conditions to avoid | | |
| Direct sunlight. Extremely high or low temperatures. | | |
| 10.5. Incompatible materials | | |
| Strong oxidizers. Strong acids. Strong bases. | | |
| 10.6. Hazardous decomposition products | | |
| Phosphorus oxides. Carbon monoxide. Carbon dioxide. | | |

SECTION 11: Toxicological information

| ozorioni in rokioologioarimormaa | |
|--|--|
| 11.1. Information on toxicological effects | |
| Likely routes of exposure | : Inhalation; Skin and eye contact |
| Acute toxicity | : Not classified |
| Formaldehyde (50-00-0) | |
| LD50 oral rat | 500 mg/kg |
| ATE US (oral) | 500 mg/kg body weight |
| ATE US (dermal) | 2000 mg/kg body weight |
| ATE US (vapors) | 0.578 mg/l/4h |
| Methanol (67-56-1) | |
| LD50 oral rat | > 5000 mg/kg (Rat; BASF test; Literature study; 1187-2769 mg/kg bodyweight; Rat; Weight of evidence) |
| LD50 dermal rabbit | 15800 mg/kg (Rabbit; Literature study) |
| LC50 inhalation rat (mg/l) | 85 mg/l/4h (Rat; Literature study) |
| LC50 inhalation rat (ppm) | 64000 ppm/4h (Rat; Literature study) |
| Water (7732-18-5) | |
| LD50 oral rat | ≥ 90000 mg/kg |
| ATE US (oral) | 90000 mg/kg body weight |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Skin corrosion/irritation | : Causes skin irritation. |
|-----------------------------------|--|
| | pH: n/a |
| Serious eye damage/irritation | : Causes serious eye damage. |
| | pH: n/a |
| Respiratory or skin sensitization | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : May cause cancer (Inhalation). |
| Formaldehyde (50-00-0) | |
| IARC group | 1 - Carcinogenic to humans |
| Reproductive toxicity | : Not classified |

| • | | | |
|-----------------|------------------------------------|---|----------------|
| Specific target | t organ toxicity – single exposure | : | Not classified |

| Methanol (67-56-1) | |
|---|---|
| STOT-single exposure | Causes damage to organs (liver, kidneys, central nervous system, optic nerve) (Dermal, oral). |
| Specific target organ toxicity – repeated exposure | : Not classified |
| Aspiration hazard | : Not classified |
| Potential Adverse human health effects and symptoms | : Based on available data, the classification criteria are not met. |
| Symptoms/effects after inhalation | : May cause an allergic skin reaction. May cause cancer by inhalation. |
| Symptoms/effects after skin contact | : Causes skin irritation. |
| Symptoms/effects after eye contact | : Causes serious eye damage. |
| Symptoms/effects after ingestion | : Nausea. Vomiting. Diarrhea. Burns or irritation of the linings of the mouth, throat, |

: Nausea. Vomiting. Diarrhea. Burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

| SECTION 12: Ecological information | |
|------------------------------------|---|
| 12.1. Toxicity | |
| Ecology - water | Harmful to aquatic life. |
| Formaldehyde (50-00-0) | |
| LC50 fish 1 | 41 mg/l (LC50; 96 h) |
| EC50 Daphnia 1 | 14.7 mg/l (EC50; 24 h) |
| EC50 Daphnia 2 | 2 mg/l |
| Threshold limit algae 1 | 2.5 mg/l (EC0; 192 h) |
| Methanol (67-56-1) | |
| LC50 fish 1 | 15400 mg/l (LC50; EPA 660/3 - 75/009; 96 h; Lepomis macrochirus; Flow-through system; Fresh water; Experimental value) |
| EC50 Daphnia 1 | > 10000 mg/l (EC50; DIN 38412-11; 48 h; Daphnia magna; Static system; Fresh water; Experimental value) |
| LC50 fish 2 | 10800 mg/l (LC50; 96 h; Salmo gairdneri) |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Formaldehyde (50-00-0) | |
|---------------------------------|---|
| Persistence and degradability | Readily biodegradable in water. Biodegradability in soil: no data available. No test data on mobility of the components available. Photodegradation in the air. |
| Biochemical oxygen demand (BOD) | 0.64 g O₂/g substance |
| Chemical oxygen demand (COD) | 1.06 g O₂/g substance |
| ThOD | 1.068 g O₂/g substance |
| BOD (% of ThOD) | 0.6 (5 days; Literature study) |
| Methanol (67-56-1) | |
| Persistence and degradability | Readily biodegradable in water. Biodegradable in the soil. Highly mobile in soil. |
| Biochemical oxygen demand (BOD) | 0.6 - 1.12 g O₂/g substance |
| Chemical oxygen demand (COD) | 1.42 g O₂/g substance |
| ThOD | 1.5 g O₂/g substance |
| BOD (% of ThOD) | 0.8 (Literature study) |
| 2.3. Bioaccumulative potential | |
| Formalin 20%, Non-Buffered | |
| Bioaccumulative potential | Not established. |
| Formaldehyde (50-00-0) | |
| Log Pow | -0.78 - 0.0 |
| Bioaccumulative potential | Bioaccumulation: not applicable. |
| Methanol (67-56-1) | |
| BCF fish 1 | < 10 (BCF; 72 h; Leuciscus idus) |
| Log Pow | -0.77 (Experimental value; Other) |
| Bioaccumulative potential | Low potential for bioaccumulation (BCF < 500). |
| 2.4. Mobility in soil | |
| Formaldehyde (50-00-0) | |
| Ecology - soil | Toxic to flora. |
| Methanol (67-56-1) | |
| Surface tension | 0.023 N/m (20 °C) |
| Log Koc | Koc,PCKOCWIN v1.66; 1; Calculated value |
| Ecology - soil | Highly mobile in soil. |
| 2.5. Other adverse effects | |
| ffect on the global warming | : No known effects from this product. |
| GWPmix comment | No known effects from this product. |

Other information

: Avoid release to the environment.

| SECTION 13: Disposal consideration | IS |
|---|--|
| 13.1. Disposal methods | |
| Waste disposal recommendations | Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to comply with local, state and federal regulations. |
| Ecology - waste materials | : Avoid release to the environment. |

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| SECTION 15: Regulatory information | |
|-------------------------------------|---------------------------------|
| 15.1. US Federal regulations | |
| Formalin 20%, Non-Buffered | |
| SARA Section 311/312 Hazard Classes | Delayed (chronic) health hazard |

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

| Methanol | CAS-No. 67-56-1 |
|--------------|-----------------|
| Formaldehyde | CAS-No. 50-00-0 |

| Formaldehyde (50-00-0) | | |
|--|--|--|
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 100 lb | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard | |
| SARA Section 313 - Emission Reporting | 0.1 % | |
| Methanol (67-56-1) | | |
| RQ (Reportable quantity, section 304 of EPA's List of Lists) | 5000 lb | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Fire hazard | |

15.2. International regulations

CANADA

| Formaldehyde (50-00-0) |
|---|
| Listed on the Canadian DSL (Domestic Substances List) |
| Methanol (67-56-1) |
| Listed on the Canadian DSL (Domestic Substances List) |
| Water (7732-18-5) |
| Listed on the Canadian DSL (Domestic Substances List) |

EU-Regulations

No additional information available

National regulations

| Formaldehyde (50-00-0) |
|--|
| Listed on the Canadian IDL (Ingredient Disclosure List) |
| Listed on IARC (International Agency for Research on Cancer) |
| Listed as carcinogen on NTP (National Toxicology Program) |
| |
| Methanol (67-56-1) |
| |

Listed on the Canadian Ingredient Disclosure List

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

15.3. US State regulations

MWARNING:

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

| Formaldehyde (50-00-0) | | | | |
|--|--|---|---|-------------------------------------|
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| Yes | Yes | No | No | 40 µg/day |
| Methanol (67-56-1) | | | | |
| U.S California - Proposition 65 - Carcinogens List | U.S California - Proposition 65 - Developmental Toxicity | U.S California - Proposition 65 - Reproductive Toxicity - Female | U.S California - Proposition 65 - Reproductive Toxicity - Male | No significant risk level (NSRL) |
| No | Yes | No | No | |

SECTION 16: Other information

Revision date

: 19 DEC 2022

Full text of H-phrases:

| H225 | Highly flammable liquid and vapor |
|------|---|
| H226 | Flammable liquid and vapor |
| H301 | Toxic if swallowed |
| H302 | Harmful if swallowed |
| H311 | Toxic in contact with skin |
| H312 | Harmful in contact with skin |
| H314 | Causes severe skin burns and eye damage |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H330 | Fatal if inhaled |
| H331 | Toxic if inhaled |
| H350 | May cause cancer |
| H370 | Causes damage to organs |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| NFPA health hazard | : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury. |
|---------------------|--|
| NFPA fire hazard | : 1 - Materials that must be preheated before ignition can occur. |
| NFPA reactivity | : 0 - Material that in themselves are normally stable, even under fire conditions. |
| Hazard Rating | |
| Health | \checkmark |
| | |
| Flammability | : 2 Moderate Hazard - Temporary or minor injury may occur |
| | * - Chronic (long-term) health effects may result from repeated overexposure |
| Physical | 1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB) |
| Personal protection | : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives. |
| | : H |
| | H - Splash goggles, Gloves, Synthetic apron, Vapor respirator |
| | |

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS US (GHS HazCom 2012)

Ethos Biosciences/Astral Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Ethos Biosciences/Astral Diagnostics . makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Ethos Biosciences/Astral Diagnostics will not be responsible for damages resulting from the use of or reliance upon this information.