

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 08 DEC 2022

## **SECTION 1: Identification**

Identification

Product form : Mixture Product name : Acetic Acid, 5% Product code 3303-16

Recommended use and restrictions on use

Use of the substance/mixture : For laboratory and manufacturing use only.

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

Supplier

Astral Diagnostics Inc.

Logan Township NJ 08085 - United States

T +1 856 224 0900

800-441-0366 Technical Service; Monday-Friday: 8:00 AM-5:00 PM, Eastern US Time

www.ethosbiosciences.com

#### **Emergency telephone number**

: 800-424-9300 CHEMTREC (USA) -- 24 Hours/Day, 7 Days/Week **Emergency number** 

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

#### **GHS-US** classification

Skin corrosion/irritation, H315 Causes skin irritation.

Category 2

Serious eye damage/eye H319 Causes serious eye irritation.

irritation, Category 2A

Full text of H statements : see section 16

#### GHS Label elements, including precautionary statements

#### **GHS-US** labelling

Hazard pictograms (GHS-US)



Signal word (GHS-US) : Warning

H315 - Causes skin irritation. Hazard statements (GHS-US)

H319 - Causes serious eye irritation.

Precautionary statements (GHS-US) P264 - Wash exposed skin thoroughly after handling.

P280 - Wear protective gloves, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the

: None.

classification

#### 2.4. **Unknown acute toxicity (GHS US)**

Not applicable

#### **SECTION 3: Composition/information on ingredients**

### **Substances**

Not applicable

08 DEC 2022 EN (English) Page 1

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	97	Not classified
Acetic Acid	(CAS-No.) 64-19-7	3	Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 3, H402

Full text of hazard classes and H-statements: see section 16

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Assure fresh air breathing. Allow the victim to rest.

First-aid measures after skin contact : Wash with plenty of water/.... Wash contaminated clothing before reuse. If skin irritation occurs:

Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Causes skin irritation.

Symptoms/effects after eye contact : Causes serious eye irritation.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

#### **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

## 5.2. Specific hazards arising from the chemical

No additional information available

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves.

Emergency procedures : Evacuate unnecessary personnel.

### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

## 6.4. Reference to other sections

See section 8. Exposure controls and personal protection.

08 DEC 2022 EN (English) 2/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation

of vapor.

Hygiene measures : Wash exposed skin thoroughly after handling.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep container closed when not in use. Incompatible products : Strong oxidizers. Metals. Strong bases.

Incompatible materials : Sources of ignition.

Storage temperature : 10 - 40 °C

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Acetic Acid (64-19-7)		
ACGIH	ACGIH TWA (ppm)	10 ppm
ACGIH	ACGIH STEL (ppm)	15 ppm
OSHA	OSHA PEL (TWA) (mg/m³)	25 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	US IDLH (ppm)	50 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	25 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	37 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm

### Water (7732-18-5)

Not applicable

## 8.2. Appropriate engineering controls

Appropriate engineering controls

: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

#### 8.3. Individual protection measures/Personal protective equipment

## Personal protective equipment:

Safety glasses. Gloves.





#### Hand protection:

Wear protective gloves.

## Eye protection:

Chemical goggles or safety glasses

#### Respiratory protection:

Respiratory protection not required in normal conditions

#### Other information:

Do not eat, drink, or smoke during use.

08 DEC 2022 EN (English) 3/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 9: Physical and chemical properties**

#### Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless Odor : Vinegar odor Odor threshold : No data available : No data available pН No data available Melting point Freezing point : No data available Boiling point No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. : No data available Vapor pressure Relative vapor density at 20 °C : No data available Relative density : No data available Density 1.01 g/ml Solubility Soluble in water. Log Pow : No data available

1.1 cSt Viscosity, kinematic

Viscosity, dynamic No data available **Explosive limits** : No data available Explosive properties No data available Oxidizing properties : No data available

No data available

: No data available

#### Other information

Auto-ignition temperature

Decomposition temperature

No additional information available

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

## **Chemical stability**

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

Not established.

#### **Conditions to avoid** 10.4.

Direct sunlight. Extremely high or low temperatures.

### Incompatible materials

Strong oxidizers. Metals. Strong acids. Strong bases.

## **Hazardous decomposition products**

Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eyes contact

Acute toxicity : Not classified

Acetic Acid (64-19-7)	
LD50 oral rat	20345 mg/kg
ATE US (oral)	20345 mg/kg bodyweight

08 DEC 2022 EN (English) 4/7

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

A (' A ' L (04 40 T)	
Acetic Acid (64-19-7)	
LD50 oral rat	3310 mg/kg bodyweight (Rat, Male/female, Experimental value)
LC50 inhalation rat (mg/l)	11.4 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Female, Experimental value)
ATE US (oral)	3310 mg/kg bodyweight
Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000 mg/kg bodyweight
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
Specific target organ toxicity (single exposure)	: Not classified
Specific target organ toxicity (repeated exposure)	: Not classified
Aspiration hazard	: Not classified
Potential adverse human health effects and symptoms	: Based on available data, the classification criteria are not met.
Symptoms/effects after skin contact	: Causes skin irritation.

## **SECTION 12: Ecological information**

Symptoms/effects after eye contact

## 12.1. Toxicity

Acetic Acid (64-19-7)	
LC50 fish 1	> 1000 mg/l (Equivalent or similar to OECD 203, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value)
EC50 Daphnia 1	> 1000 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)

: Causes serious eye irritation.

## 12.2. Persistence and degradability

Acetic Acid, 5%		
Persistence and degradability	Not established.	
Acetic Acid (64-19-7)		
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.6 - 0.74 g O₂/g substance	
Chemical oxygen demand (COD)	1.03 g O₂/g substance	
ThOD	1.07 g O₂/g substance	
Water (7732-18-5)		
Persistence and degradability	Not established.	

## 12.3. Bioaccumulative potential

Acetic Acid, 5%	
Bioaccumulative potential	Not established.
Acetic Acid (64-19-7)	
BCF fish 1	3.16 (Pisces, Fresh water, QSAR)
Log Pow	-0.17 (Experimental value, 25 °C)
Bioaccumulative potential	Not bioaccumulative.
Water (7732-18-5)	
Bioaccumulative potential	Not established.

08 DEC 2022 EN (English) 5/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.4. Mobility in soil

Acetic Acid (64-19-7)	
Surface tension	26.3 mN/m (30 °C)
Ecology - soil	Highly mobile in soil. May be harmful to plant growth, blooming, and fruit formation.

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Not regulated

#### **Transportation of Dangerous Goods**

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

## **SECTION 15: Regulatory information**

## 15.1. US Federal regulations

Acetic Acid, 5%	
SARA Section 311/312 Hazard Classes	Health hazard - Serious eye damage or eye irritation Health hazard - Skin corrosion or Irritation

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Acetic Acid (64-19-7)	
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation

## 15.2. International regulations

## CANADA

#### Acetic Acid (64-19-7)

Listed on the Canadian DSL (Domestic Substances List)

## **EU-Regulations**

No additional information available

## **National regulations**

## Acetic Acid (64-19-7)

Listed on the Canadian IDL (Ingredient Disclosure List)

#### 15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

08 DEC 2022 EN (English) 6/7

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 16: Other information**

Revision date : 08 DEC 2022

#### Full text of H-statements:

H226	Flammable liquid and vapor.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H402	Harmful to aquatic life

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause


significant irritation.

NFPA fire hazard : 0 - Materials that will not burn under typical dire conditions, including intrinsically noncombustible materials such as

concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.



Hazard Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : B

B - Safety glasses, Gloves

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS US (GHS HazCom 2012)

Ethos Biosciences/Astral Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Ethos Biosciences/Astral Diagnostics . makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Ethos Biosciences/Astral Diagnostics will not be responsible for damages resulting from the use of or reliance upon this information.

08 DEC 2022 EN (English) 7/7