

## 50/50 methanol-DI water solution

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 10 NOV 2022

## **SECTION 1: Identification**

Identification 1.1.

: Mixture Product form

Product name : Rinse Solution (50/50 methanol-DI water solution)

Product code

1.2. Recommended use and restrictions on use

: For laboratory and manufacturing use only. Use of the substance/mixture

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

1.3. Supplier

Astral Diagnostics Inc.

Logan Township NJ 08085 - United States

T+1 856 224 0900

800-441-0366 Technical Service; Monday-Friday: 8:00AM-5:00 PM, Eastern US Time

www.ethosbiosciences.com

**Emergency telephone number** 

**Emergency number** : 800-424-9300 CHEMTREC (USA) -- 24 Hours/Day, 7 Days/Week

## SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

### **GHS-US** classification

Flammable liquids H225 Highly flammable liquid and vapor

Category 2 H301 Toxic if swallowed Acute toxicity (oral)

Category 3

H311 Toxic in contact with skin Acute toxicity (dermal)

Category 3

Acute toxicity H332 Harmful if inhaled

(inhalation:dust,mist)

Category 4

Specific target organ H370 Causes damage to organs (central nervous system, optic nerve)

toxicity (single exposure)

Category 1

Full text of H statements : see section 16

# GHS Label elements, including precautionary statements

## **GHS-US** labeling

Hazard pictograms (GHS-US)







GHS02

GHS06

GHS08

Signal word (GHS-US)

Hazard statements (GHS-US) : H225 - Highly flammable liquid and vapor

H301+H311 - Toxic if swallowed or in contact with skin

H332 - Harmful if inhaled

H370 - Causes damage to organs (central nervous system, optic nerve)

: P210 - Keep away from heat, sparks, open flames, hot surfaces. - No smoking. Precautionary statements (GHS-US)

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, ventilating, lighting equipment

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe mist, vapors, spray.

P264 - Wash exposed skin thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

10 NOV 2022 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P280 - Wear protective gloves, protective clothing, eye protection, face protection. P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated

clothing. Rinse skin with water/shower.

P312 - Call a POISON CENTER or doctor/physician if you feel unwell.

P363 - Wash contaminated clothing before reuse.

P370+P378 - In case of fire: Use alcohol-resistant foam, sand, extinguishing powder to

extinguish

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

P501 - Dispose of contents/container to comply with local, state and federal regulations

If inhaled: Remove person to fresh air and keep comfortable for breathing

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification

: None under normal conditions.

#### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

#### **Substances**

Not applicable

#### 3.2. **Mixtures**

Name	Product identifier	%	GHS-US classification
Water	(CAS-No.) 7732-18-5	50	Not classified
Methanol	(CAS-No.) 67-56-1	50	Flam. Liq. 2, H225 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 STOT SE 1, H370

Full text of hazard classes and H-statements : see section 16

# **SECTION 4: First-aid measures**

### **Description of first aid measures**

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical First-aid measures general advice (show the label where possible). Call a POISON CENTER or doctor/physician.

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a First-aid measures after inhalation

POISON CENTER or doctor/physician if you feel unwell.

: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. First-aid measures after skin contact

Immediately call a poison center or doctor/physician. Wash contaminated clothing before reuse.

Remove contact lenses, if present and easy to do. Continue rinsing. Rinse cautiously with First-aid measures after eye contact water for several minutes. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Immediately call a poison center or doctor/physician.

## Most important symptoms and effects (acute and delayed)

Symptoms/effects : Causes damage to organs (optic nerve).

Symptoms/effects after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled.

Symptoms/effects after skin contact Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

Symptoms/effects after eye contact : May cause slight irritation.

Toxic if swallowed. Swallowing a small quantity of this material will result in serious health Symptoms/effects after ingestion

hazard.

Chronic symptoms : Blurred vision. Visual disturbances.

#### Immediate medical attention and special treatment, if necessary

Hospitalize at once.

# **SECTION 5: Fire-fighting measures**

#### Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

10 NOV 2022 EN (English US) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Specific hazards arising from the chemical 5.2.

Fire hazard : Flammable liquid and vapor.

**Explosion hazard** : May form flammable/explosive vapor-air mixture.

#### Special protective equipment and precautions for fire-fighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

#### **SECTION 6: Accidental release measures**

## Personal precautions, protective equipment and emergency procedures

General measures : Remove ignition sources. Use special care to avoid static electric charges. No naked lights. No

#### 6.1.1. For non-emergency personnel

Safety glasses. Protective clothing. Gloves. Face-shield. Combined gas/dust mask with filter Protective equipment

type A/P3.

**Emergency procedures** : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapors/spray.

**Emergency procedures** Ventilate area.

#### **Environmental precautions**

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### Methods and material for containment and cleaning up 6.3.

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

### Reference to other sections

See section 8. Exposure controls and personal protection.

## **SECTION 7: Handling and storage**

### Precautions for safe handling

Additional hazards when processed

: Handle empty containers with care because residual vapors are flammable.

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No naked lights. No smoking. Take precautionary measures against static discharge. Use only non-sparking tools. Use only outdoors or in a well-ventilated area. Do not breathe

Hygiene measures Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after

handling.

## Conditions for safe storage, including any incompatibilities

Technical measures : Proper grounding procedures to avoid static electricity should be followed. Ground/bond

container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/...

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Heat sources,

Ignition sources, incompatible materials. Keep container tightly closed.

Incompatible products Strong bases. Strong acids. Strong oxidizers.

Incompatible materials Sources of ignition. Direct sunlight. Heat sources.

## **SECTION 8: Exposure controls/personal protection**

#### **Control parameters**

Methanol (67-56-1)			
ACGIH	ACGIH TWA (ppm)	200 ppm	
ACGIH	ACGIH STEL (ppm)	250 ppm	
OSHA	OSHA PEL (TWA) (mg/m³)	260 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	200 ppm	

10 NOV 2022 EN (English US) 3/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methanol (67-56-1)			
IDLH	US IDLH (ppm)	6000 ppm	
NIOSH	NIOSH REL (TWA) (mg/m³)	250 mg/m³	
NIOSH	NIOSH REL (TWA) (ppm)	200 ppm	
NIOSH	NIOSH REL (STEL) (mg/m³)	325 mg/m³	
NIOSH	NIOSH REL (STEL) (ppm)	250 ppm	
NIOSH	Remark (NIOSH)	Skin	
Water (7732-18-5)			
Not applicable			

#### 8.2. **Appropriate engineering controls**

Appropriate engineering controls

Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Ensure adequate ventilation. Material should be handled in a laboratory hood whenever possible.

#### 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Gas mask/respirator. Gloves. Safety glasses.







## Hand protection:

Wear protective gloves.

#### Eye protection:

Chemical splash goggles or safety glasses

### Skin and body protection:

Chemical resistant apron

# Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended.

## Other information:

Do not eat, drink or smoke during use.

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Physical state : Liquid Color : Colorless Odor characteristic Odor threshold : No data available : No data available рΗ : No data available Melting point Freezing point : No data available : No data available Boiling point

Flash point : 27 °C

Relative evaporation rate (butyl acetate=1) : No data available

Flammability (solid, gas) : Flammable liquid and vapor.

10 NOV 2022 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 0.93

Solubility : Soluble in methanol. Soluble in water. Soluble in ethanol.

Log Pow : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Viscosity, kinematic : 1.96 cSt

Viscosity, dynamic : No data available
Explosion limits : No data available
Explosive properties : No data available
Oxidizing properties : No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Flammable liquid and vapor. May form flammable/explosive vapor-air mixture.

#### 10.3. Possibility of hazardous reactions

Reacts vigorously with strong oxidizers and acids.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Open flame. Overheating. Heat. Sparks.

#### 10.5. Incompatible materials

Strong acids. Strong bases. Strong oxidizers.

# 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide. May release flammable gases.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Likely routes of exposure : Inhalation; Skin and eye contact

Acute toxicity : Not classified

Methanol (67-56-1)	
LD50 oral rat	1187 - 2769 mg/kg body weight (BASF test, Rat, Male/female, Weight of evidence)
LD50 dermal rabbit	17100 mg/kg (Rabbit, Inconclusive, insufficient data)
LC50 inhalation rat (mg/l)	128.2 mg/l air (BASF test, 4 h, Rat, Male/female, Weight of evidence)
ATE US (oral)	100 mg/kg body weight
ATE US (dermal)	300 mg/kg body weight
ATE US (gases)	700 ppmV/4h
ATE US (vapors)	3 mg/l/4h
ATE US (dust, mist)	0.5 mg/l/4h
Water (7732-18-5)	

Water (7732-18-5)	
LD50 oral rat	≥ 90000 mg/kg
ATE US (oral)	90000 mg/kg body weight

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

10 NOV 2022 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Respiratory or skin sensitization : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Causes damage to organs (central nervous system, optic nerve).

Specific target organ toxicity - repeated

exposure

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

Symptoms/effects after skin contact

Symptoms/effects after eye contact

symptoms

: Based on available data, the classification criteria are not met. Harmful if inhaled. Toxic if swallowed. Toxic in contact with skin.

Symptoms/effects after inhalation : Danger of se

: Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

: Repeated exposure to this material can result in absorption through skin causing significant

health hazard. Toxic in contact with skin.

Symptoms/effects after ingestion : Toxic if swallowing a small quantity of this material will result in serious health

: May cause slight irritation.

hazard.

Chronic symptoms : Blurred vision. Visual disturbances.

## **SECTION 12: Ecological information**

#### 12.1. Toxicity

Methanol (67-56-1)	
LC50 fish 1	15400 mg/l (EPA 660/3 - 75/009, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value)
EC50 Daphnia 1	18260 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 96 h, Daphnia magna, Semistatic system, Fresh water, Experimental value)
ErC50 (algae)	22000 mg/l (OECD 201: Alga, Growth Inhibition Test, 96 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value)

# 12.2. Persistence and degradability

Rinse Solution		
Persistence and degradability	Not established.	
Methanol (67-56-1)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.6 - 1.12 g O₂/g substance	
Chemical oxygen demand (COD)	1.42 g O₂/g substance	
ThOD	1.5 g O₂/g substance	
Water (7732-18-5)		
Persistence and degradability	Not established.	

# 12.3. Bioaccumulative potential

Rinse Solution		
Bioaccumulative potential	Not established.	
Methanol (67-56-1)		
BCF fish 1	1 - 4.5 (72 h, Cyprinus carpio, Static system, Fresh water, Experimental value)	
Log Pow	-0.77 (Experimental value)	
Bioaccumulative potential Low potential for bioaccumulation (BCF < 500).		
Water (7732-18-5)		
Bioaccumulative potential	Not established.	

# 12.4. Mobility in soil

Methanol (67-56-1)	
Surface tension	0.023 N/m (20 °C)

10 NOV 2022 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methanol (67-56-1)	
Log Koc	-0.890.21 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local, state and federal regulations.

Additional information : Handle empty containers with care because residual vapors are flammable.

Ecology - waste materials : Avoid release to the environment. Hazardous waste due to toxicity.

### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Transport document description : UN1230 Methanol, 3, II

UN-No.(DOT) : UN1230
Proper Shipping Name (DOT) : Methanol

Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120

Packing group (DOT) : II - Medium Danger Hazard labels (DOT) : 3 - Flammable liquid



DOT Packaging Non Bulk (49 CFR 173.xxx)

DOT Packaging Bulk (49 CFR 173.xxx)

**DOT Symbols** 

: 202 : 242

: G - Identifies PSN requiring a technical name

DOT Special Provisions (49 CFR 172.102)

: B1 - If the material has a flash point at or above 38 C (100 F) and below 93 C (200 F), then the bulk packaging requirements of 173.241 of this subchapter are applicable. If the material has a flash point of less than 38 C (100 F), then the bulk packaging requirements of 173.242 of this subchapter are applicable.

B40 - Stow clear of living quarters.

IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized.

T7 - 4 178.274(d)(2) Normal...... 178.275(d)(3)

TP2 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 95 / 1 + a (tr - tf) Where: tr is the maximum mean bulk temperature during transport, tf is the temperature in degrees celsius of the liquid during filling, and a is the mean coefficient of cubical expansion of the liquid between the mean temperature of the liquid during filling (tf) and the maximum mean bulk temperature during transportation (tr) both in degrees celsius.

DOT Packaging Exceptions (49 CFR 173.xxx)

DOT Quantity Limitations Passenger aircraft/rail

(49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft only

(49 CFR 175.75)

: 150

: 1 L

: 60 L

**DOT Vessel Stowage Location** 

: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

10 NOV 2022 EN (English US) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 15: Regulatory information**

### 15.1. US Federal regulations

Methanol	
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard
	Fire hazard
	Delayed (chronic) health hazard

All components of this product are listed and active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Methanol	CAS-No. 67-56-1	44.5%
Modification	0710 110. 07 00 1	11.070

Methanol (67-56-1)		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	5000 lb	
SARA Section 311/312 Hazard Classes	Physical hazard - Flammable (gases, aerosols, liquids, or solids) Health hazard - Acute toxicity (any route of exposure) Health hazard - Specific target organ toxicity (single or repeated exposure)	

#### 15.2. International regulations

#### **CANADA**

## Methanol (67-56-1)

Listed on the Canadian DSL (Domestic Substances List)

#### **EU-Regulations**

No additional information available

### **National regulations**

No additional information available

## 15.3. US State regulations

This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Methanol (67-56-1)				
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
No	Yes	No	No	

# **SECTION 16: Other information**

Initial date : 11 DEC 2013 Revision date : 10 NOV 2022

10 NOV 2022 EN (English US) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### Full text of H-phrases:

H225	Highly flammable liquid and vapor	
H301	Toxic if swallowed	
H311	Toxic in contact with skin	
H332	Harmful if inhaled	
H370	Causes damage to organs	


temporary incapacitation or residual injury.

Solids including finely divided suspended solids (including finely divided suspended solids) that can be ignited under almost all ambient temperature conditions.

: 0 - Material that in themselves are normally stable, even

: 2 - Materials that, under emergency conditions, can cause

under fire conditions.



Hazard Rating

NFPA reactivity

NFPA health hazard

Health : 2 Moderate Hazard - Temporary or minor injury may occur

Flammability : 3 Serious Hazard - Materials capable of ignition under almost all normal temperature conditions. Includes flammable liquids with flash points below 73 F and boiling points above

100 F. as well as liquids with flash points between 73 F and 100 F. (Classes IB & IC)

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : H

H - Splash goggles, Gloves, Synthetic apron, Vapor respirator

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS US (GHS HazCom 2012)

Ethos Biosciences/Astral Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Ethos Biosciences/Astral Diagnostics . makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Ethos Biosciences/Astral Diagnostics will not be responsible for damages resulting from the use of or reliance upon this information.

10 NOV 2022 EN (English US) 9/9