

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Issue date: 11/29/2023 Version: 1.0

SECTION 1: Identification

SECTION 1: Identification		
1.1. Identification		
Product form Product name Product code	 Mixture Dilurex 10X Imidazole Wash Buffer 4Z2010 - all sizes 	
1.2. Recommended use and restrictions of	on use	
Use of the substance/mixture Restrictions on use	: For laboratory and manufacturing use only : Not for food, drug or household use	
1.3. Supplier		
Exocell Ethos Biosciences, Inc. 2070 Center Square Road Logan Township, New Jersey 08085 United States T +1-856-224-0900; +1-800-441-0366 Technical S www.ethosbiosciences.com	Service; Monday-Friday: 8:00 AM-5:00 PM, Eastern US Time	
1.4. Emergency telephone number		
Emergency number	: 800-424-9300 CHEMTREC (USA) 24 Hours/Day, 7 Days/Week	
SECTION 2: Hazard(s) identification		
2.1. Classification of the substance or mi	xture	
GHS US classification Not classified		
2.2. GHS Label elements, including precautionary statements		
GHS US labeling No labeling applicable		
2.3. Other hazards which do not result in	classification	
No additional information available		
2.4. Unknown acute toxicity (GHS US)		
99% of the mixture consists of ingredient(s) of unknown acute toxicity (Oral)		

99% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)

99% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

3.2. Mixtures			
Name	Product identifier	%	GHS US classification
Deionized Water	CAS-No.: 7732-18-5	> 90	Not classified
sodium chloride	CAS-No.: 7647-14-5	8 – 9	Not classified
Proclin 300	CAS-No.: 55965-84-9	≤ 0.5	Not classified
imidazole	CAS-No.: 288-32-4	< 0.2	Not classified
TWEEN 20	CAS-No.: 9005-64-5	≤ 0.2	Not classified
sodium hydroxide	CAS-No.: 1310-73-2	< 0.1	Met. Corr. 1, H290 Acute Tox. 4 (Dermal), H312 Skin Corr. 1, H314 Eye Dam. 1, H318

Full text of hazard classes and H-statements : see section 16

SECTION 4: First-aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center/doctor/physician if you feel unwell.
4.2. Most important symptoms and effects (acute and delayed)	

No additional information available

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures		
5.1. Suitable (and unsuitable) extinguishin	g media	
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.	
5.2. Specific hazards arising from the chemical		
Hazardous decomposition products in case of fire	: Toxic fumes may be released.	
5.3. Special protective equipment and precautions for fire-fighters		
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.	

SECTION 6: Accidental re	elease measures	
6.1. Personal precautions, p	protective equipment and emergency procedures	
6.1.1. For non-emergency perso	onnel	

Emergency procedures : Ventilate spillage area.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, Mar	rch 26, 2012 / Rules and Regulations
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containment a	nd cleaning up
Methods for cleaning up Other information	 Take up liquid spill into absorbent material. Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	
For further information refer to section 13.	
SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	: Store in a well-ventilated place. Keep cool.
SECTION 8: Exposure controls/persona	I protection
8.1. Control parameters	
sodium hydroxide (1310-73-2)	
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL C	2 mg/m ³
8.2. Appropriate engineering controls	
	Ensure good ventilation of the work station.Avoid release to the environment.
8.3. Individual protection measures/Persona	Il protective equipment
Hand protection:	
Protective gloves	
Eye protection:	
Safety glasses	
Skin and body protection:	
Wear suitable protective clothing	
Respiratory protection:	

In case of insufficient ventilation, wear suitable respiratory equipment

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Personal protective equipment symbol(s):



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
	•
Appearance	: Clear, colorless liquid.
Color	: Colorless
Odor	: odorless
Odor threshold	: No data available
рН	: 7.1 – 7.3
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

sodium chloride

Boiling point	1461 °C
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Vapor pressure	Not applicable (solid)

imidazole	
Boiling point	268 °C (1013 hPa, Equivalent or similar to OECD 104)
Flash point	145 °C (Closed cup)
Auto-ignition temperature	480 °C (T1)
Vapor pressure	0.003 hPa (20 °C, OECD 104: Vapour Pressure)

sodium hydroxide	
Boiling point	1388 °C (1013 hPa)
Flash point	Not applicable (solid)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

sodium hydroxide		
Auto-ignition temperature	No data available in the literature	
Vapor pressure	< 0.01 hPa (25 °C)	
Proclin 300		
Boiling point	No data available in the literature	
Flash point	Not applicable (solid)	
Auto-ignition temperature	No data available in the literature	
Vapor pressure	No data available in the literature	

Flash point	148 °C
Vapor pressure	< 1.3 hPa (20 °C)

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified
Acute toxicity (dermal)	: Not classified
Acute toxicity (inhalation)	: Not classified

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Unknown acute toxicity (GHS US) 0% of the mixture consists of ingredient(s) of unknown acute toxicity (Oran) 9% of the mixture consists of ingredient(s) of unknown acute toxicity (Inhalation (Dust/Mist))) sodium chloride (7647-14-5) > 3980 mg/kg body weight (Rat. Experimental value, 20% aqueous solution, Oral) LOSG oral rat > 3980 mg/kg body weight (Equivalent or similar to DECD 401, Rat, Experimental value, 20% aqueous solution, Inhalation (aerosci)) Imidazole (288-32-4) 970 mg/kg body weight (Equivalent or similar to DECD 401, Rat, Experimental value, Oral, 7 days(s) Sodium hydroxide (1310-73-2) 970 mg/kg body weight (Equivalent or similar to DECD 401, Rat, Experimental value, Oral, 7 days(s) Sodium hydroxide (1310-73-2) TUDO mg/kg body weight (DECD 401- Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 7 days(s) Sodium hydroxide (1310-73-2) TUDO mg/kg body weight (DECD 401- Acute Oral Toxicity, Rat, Male / female, Experimental value, Cacluted by reference to active substance, Oral, 14 day(s) Sodium hydroxide (1310-73-2) 06 mg/kg body weight (DECD 402- Acute Oral Toxicity, Rat, Male / female, Experimental value, Cacluted by reference to active substance, Oral, 14 day(s) LDSG oral rat 010 mg/kg body weight (DECD 402- Acute Oral Toxicity, Rat, Male / female, Experimental value, Cacluted by reference to active substance, Inhalation (dust), 14 day(s)) LDSG oral rat 01.7 mg/l air (DECD 403- Acute Inhalation Toxicity, A h, Rat, Male / female, Experimental value, Cacluted by reference to active substance, Inhalation (dust), 14 day(s)) Sodium chloride (7647-14-5) 10.5	Dilurex 10X Imidazole Wash Buffer	
LDS0 oral rat > 3980 mg/kg body weight (Rat: Experimental value, 20% aqueous solution, Oral) LDS0 dermal rabbit > 10000 mg/kg (Rabbit, Experimental value, 20% aqueous solution, Inhalation (aerosol)) Imidazole (288-32-4) 970 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Cral, 7 day(s)) sodium hydroxide (1310-73-2) 7 ATE US (dermal) 1100 mg/kg body weight (PECD 401; Acute Oral Toxicity, Rat, Male / female, Experimental value, Cral, 7 day(s)) LDS0 oral rat 66 mg/kg body weight (OECD 401; Acute Oral Toxicity, Rat, Male / female, Experimental value, Cral, 20 day(s)) LDS0 dermal rat 66 mg/kg body weight (OECD 401; Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LDS0 dermal rat 911 mg/kg body weight (OECD 402; Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) LDS0 dermal rat 0.17 mg/l air (OECD 403; Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Stiti corrosion/irritation : Not dasaffed pt+ : 7.1 - 7.3 sodium chtoride (7647-14-5) pH pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH pH 10 4 (5 %) Proclin 300 (55965-84-9)	Unknown acute toxicity (GHS US)	99% of the mixture consists of ingredient(s) of unknown acute toxicity (Dermal)
LD50 dermal rabbit > 10000 mg/kg (Rabbit, Experimental value, Dermal) LG50 Inhalation - Rat > 42 mg/l air (1 h, Rat, Male, Experimental value, 20% aqueous solution, Inhalation (aerosol)) Imidazole (288-32-4) 970 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 7 day(s)) sodium hydroxide (1310-73-2) #TE US (dermal) 1100 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat 0.17 mg/l ar (OECD 403. Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosionIrritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosionIrritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosionIrritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) PH 10.5 (7 %) sodium chloride (7647-14-5) pH pH 10.5 (7 %) sodium chloride (7647-14-5) pH pH No data available in the literature TWEEN 20	sodium chloride (7647-14-5)	
LC50 Inhalation - Rat > 42 mg/l air (1 h, Rat, Male, Experimental value, 20% aqueous solution, Inhalation (aerosol)) inidazole (288-32-4) gv mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 7 day(s)) sodium hydroxide (1310-73-2) ATE US (dermal) ATE US (dermal) 1100 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 7 day(s)) LD50 oral rat 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat 66 mg/kg body weight (OECD 402: Acute Dermal Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/l air (OECD 402: Acute Dermal Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corresion/intiation i kot dassified pht / 7.1 - 7.3 sodium chloride (7647-14-5) pH pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH pH 14 (5 %) Proclin 300 (55965-84-9) pH pH 6 (10 %). Serious eye damage/irritation i kot classified pht / 7.1 - 7.3 sodium chloride (7647-14-5) pH pH	LD50 oral rat	> 3980 mg/kg body weight (Rat, Experimental value, 20% aqueous solution, Oral)
Inidazole (288-32-4) LD50 oral rat 970 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 7 day(s)) Sodium hydroxide (1310-73-2) 1100 mg/kg body weight (PCCD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Caculated by reference to active substance, Oral, 14 day(s)) LD50 oral rat 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Caculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat > 141 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/l ar (OECD 402: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation i Not classified pH: 7.1 – 7.3 sodium chlorido (7647-14-5) pH pH 7.5 (18 °C) imidazole (288-32-4) pH pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH pH No data available in the literature TWEEN 20 (9005-64-5) pH pH 6 (10 %) Serious eye damage/irritation Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) pH <	LD50 dermal rabbit	> 10000 mg/kg (Rabbit, Experimental value, Dermal)
LD50 oral rat 970 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 7 day(s)) sodium hydroxide (1310-73-2) ID 00 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 oral rat 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat 914 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/imitation : Not classified petrometer to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/imitation : Not classified petrometer to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/imitation : Not classified petrometer to active substance, Inhalation (dust), 14 day(s)) PH 0.5 (7 %) sodium hydroxide (1310-73-2) pH PH No data available in the literature TWEEN 20 (9005-64-5) pH PH No classified petrometer to active substance, Inhalation (7647-14-5) pH 6 (10 %)	LC50 Inhalation - Rat	> 42 mg/l air (1 h, Rat, Male, Experimental value, 20% aqueous solution, Inhalation (aerosol))
sodium hydroxide (1310-73-2) ATE US (dermal) Proclin 300 (55965-84-9) LD50 oral rat G6 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat > 141 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) Skin corrosion/irritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified preference to active substance, Inhalation (dust), 14 day(s)) System character (288-32-4) PH pH 10.5 (7 %) sodium hydroxide (1310-73-2) Female (16 %) PH % to classified preference to active substance, Inhalation (dust), 14 day(s) solium chloride (7647-14-5) Female (16 %) Proclin 300 (55	imidazole (288-32-4)	
ATE US (dermal) 1100 mg/kg body weight Proclin 300 (55965-84-9) 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat > 141 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified pri: 7.1 - 7.3 sodium chloride (7647-14-5) PH PH 7.5 (18 °C) Imidazole (288-32-4) PH PH 10.5 (7 %) Sodium hydroxide (1310-73-2) PH PH No data available in the literature TWEEN 20 (9005-84-5) PH PH 6 (10 %) Serious eye damage/irritation : Not classified pri: 7.1 - 7.3 sodium chloride (7647-14-5) PH PH 10.5 (7 %) Sorious eye damage/irritation : Not classified pri: 7.1 - 7.3 sodium chloride (7647-14-5) PH PH 6 (10 %) Serious eye damage/irritation : Not classified pri: 7.1 - 7.3 sodium chloride (7647-14-5)	LD50 oral rat	
Proclin 300 (55965-84-9) LD50 oral rat 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat > 141 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified pH: 7.1 - 7.3 sodium chloride (7647-14-5) PH pH 7.5 (18 °C) Imidazole (288-32-4) PH pH 10.5 (7 %) sodium hydroxide (1310-73-2) PH pH 14 (5 %) Proclin 300 (55965-84-9) PH pH % odata available in the literature TWEEN 20 (9005-64-5) PH pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 - 7.3 sodium chloride (7647-14-5) PH pH 7.5 (18 °C) Imidazole (288-32-4) PH pH 7.5 (18 °C) Imidazole (288-32-4) PH	sodium hydroxide (1310-73-2)	
LD50 oral rat 66 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat > 141 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/n air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified pH: 7.1 - 7.3 sodium chloride (7647-14-5) PH PH 7.5 (18 °C) Imidazole (288-32-4) PH pH 10.5 (7 %) sodium hydroxide (1310-73-2) PH PH 14 (5 %) Proclin 300 (55965-84-9) PH pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 - 7.3 sodium chloride (7647-14-5) PH pH 10.5 (7 %) socius eye damage/irritation : Not classified pH: 7.1 - 7.3 socius eye damage/irritation : Not classified pH: 7.1 - 7.3 socius eye damage/irritation : Not classified pH: 7.1 - 7.3 socius eye damage/irritation : Not classified pH: 7.1 - 7.3 <td>ATE US (dermal)</td> <td>1100 mg/kg body weight</td>	ATE US (dermal)	1100 mg/kg body weight
Calculated by reference to active substance, Oral, 14 day(s)) LD50 dermal rat > 141 mg/kg body weight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s)) LC50 Inhalation - Rat 0.17 mg/l air (OECD 402: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified pH : 7.1 – 7.3 sodium chloride (7647-14-5)	Proclin 300 (55965-84-9)	
Experimental value, Dermal, 14 day(s))LC50 Inhalation - Rat0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))Skin corrosion/irritationNot classified pH' 7.1 - 7.3sodium chloride (7647-14-5)TpH7.5 (18 °C)Imidazole (288-32-4)10.5 (7 %)pH10.5 (7 %)sodium hydroxide (1310-73-2)14 (5 %)pHNo data available in the literaturePHNo data available in the literatureTWEEN 20 (9005-64-5)6 (10 %)pH6 (10 %)Serious eye damage/irritationNot classified pH' 7.3sodium chloride (7647-14-5)7.5 (18 °C)pH0.5 (7 %)sodium chloride (7647-14-5)1.5 (7 %)sodium chloride (7647-14-5)1.5 (7 %)sodium chloride (7647-14-5)7.5 (18 °C)pH0.5 (7 %)sodium chloride (1310-73-2)10.5 (7 %)	LD50 oral rat	
value, Calculated by reference to active substance, Inhalation (dust), 14 day(s)) Skin corrosion/irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) pH 7.5 (18 °C) imidazole (288-32-4) pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH No data available in the literature TWEEN 20 (9005-64-5) pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) PH pH 5 (10 %) sodium chloride (7647-14-5) PH pH 10.5 (7 %)	LD50 dermal rat	
PH: 7.1 – 7.3 sodium chloride (7647-14-5) pH 7.5 (18 °C) imidazole (288-32-4) pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH 14 (5 %) Proclin 300 (55965-84-9) pH No data available in the literature TWEEN 20 (9005-64-5) pH 6 (10 %) Serious eye damage/irritation Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) pH 7.5 (18 °C) Imidazole (288-32-4) pH 10.5 (7 %) sodium hydroxide (1310-73-2)	LC50 Inhalation - Rat	
pH 7.5 (18 °C) imidazole (288-32-4) pH pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH pH 14 (5 %) Proclin 300 (55965-84-9) pH pH No data available in the literature TWEEN 20 (9005-64-5) No data available in the literature TWEEN 20 (9005-64-5) F pH 6 (10 %) Serious eye damage/irritation Not classified pH: 7.1 - 7.3 sodium chloride (7647-14-5) F pH 7.5 (18 °C) imidazole (288-32-4) T pH 10.5 (7 %) sodium hydroxide (1310-73-2) Solium hydroxide (1310-73-2)	Skin corrosion/irritation :	
imidazole (288-32-4) Imidazole (288-32-4) pH 10.5 (7 %) sodium hydroxide (1310-73-2) Imidazole (1310-73-2) pH 14 (5 %) Proclin 300 (55965-84-9) Imidazole (1310-73-2) pH No data available in the literature TWEEN 20 (9005-64-5) Imidazole (10 %) Serious eye damage/irritation Imidazole (10 %) Serious eye damage/irritation Imidazole (7647-14-5) pH 7.5 (18 °C) imidazole (288-32-4) Imidazole (1310-73-2)	sodium chloride (7647-14-5)	
pH 10.5 (7 %) sodium hydroxide (1310-73-2) pH 14 (5 %) Proclin 300 (55965-84-9) pH No data available in the literature TWEEN 20 (9005-64-5) pH 6 (10 %) Serious eye damage/irritation bH 6 (10 %) Sodium chloride (7647-14-5) pH 7.5 (18 °C) imidazole (288-32-4) 7.5 (18 °C) pH 10.5 (7 %) sodium hydroxide (1310-73-2)	рН	7.5 (18 °C)
sodium hydroxide (1310-73-2) I4 (5 %) Proclin 300 (55965-84-9) I4 (5 %) PH No data available in the literature TWEEN 20 (9005-64-5) No data available in the literature PH 6 (10 %) Serious eye damage/irritation Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) PH PH 7.5 (18 °C) imidazole (288-32-4) PH PH 10.5 (7 %) sodium hydroxide (1310-73-2) Imidazole (230-73-2)	imidazole (288-32-4)	
pH 14 (5 %) Proclin 300 (55965-84-9) P pH No data available in the literature TWEEN 20 (9005-64-5) P pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) P pH 7.5 (18 °C) imidazole (288-32-4) P pH 10.5 (7 %)	рН	10.5 (7 %)
Proclin 300 (55965-84-9) No data available in the literature TWEEN 20 (9005-64-5) F pH 6 (10 %) Serious eye damage/irritation Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) F pH 7.5 (18 °C) imidazole (288-32-4) 10.5 (7 %) sodium hydroxide (1310-73-2) 10.5 (7 %)	sodium hydroxide (1310-73-2)	
pH No data available in the literature TWEEN 20 (9005-64-5) pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) PH 7.5 (18 °C) imidazole (288-32-4) 10.5 (7 %) sodium hydroxide (1310-73-2) 10.5 (7 %)	рН	14 (5 %)
TWEEN 20 (9005-64-5) pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) pH pH 7.5 (18 °C) imidazole (288-32-4) 10.5 (7 %) sodium hydroxide (1310-73-2) 10.5 (7 %)	Proclin 300 (55965-84-9)	
pH 6 (10 %) Serious eye damage/irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) pH pH 7.5 (18 °C) imidazole (288-32-4) pH pH 10.5 (7 %) sodium hydroxide (1310-73-2) Imidazole (1310-73-2)	рН	No data available in the literature
Image: Image (Irritation Image: Image (Irritation Serious eye damage/Irritation : Not classified pH: 7.1 – 7.3 sodium chloride (7647-14-5) PH pH 7.5 (18 °C) imidazole (288-32-4) PH pH 10.5 (7 %) sodium hydroxide (1310-73-2) Image: Image (1310-73-2)	TWEEN 20 (9005-64-5)	
pH: 7.1 – 7.3 sodium chloride (7647-14-5) pH 7.5 (18 °C) imidazole (288-32-4) pH 10.5 (7 %) sodium hydroxide (1310-73-2)	рН	6 (10 %)
pH 7.5 (18 °C) imidazole (288-32-4) 7.5 (18 °C) pH 10.5 (7 %) sodium hydroxide (1310-73-2)	Serious eye damage/irritation :	
imidazole (288-32-4) Imidazole (288-32-4) pH 10.5 (7 %) sodium hydroxide (1310-73-2) Imidazole (1310-73-2)	sodium chloride (7647-14-5)	
pH 10.5 (7 %) sodium hydroxide (1310-73-2)	рН	7.5 (18 °C)
sodium hydroxide (1310-73-2)	imidazole (288-32-4)	
	pH	10.5 (7 %)
pH 14 (5 %)	sodium hydroxide (1310-73-2)	
	рН	14 (5 %)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proclin 300 (55965-84-9)	
рН	No data available in the literature
TWEEN 20 (9005-64-5)	
рН	6 (10 %)
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
· · · · · · · · · · · · · · · · · · ·	Not classified
Viscosity, kinematic :	No data available
sodium chloride (7647-14-5)	
Viscosity, kinematic	Not applicable (solid)
imidazole (288-32-4)	
Viscosity, kinematic	No data available in the literature
sodium hydroxide (1310-73-2)	
Viscosity, kinematic	No data available in the literature
Proclin 300 (55965-84-9)	
Viscosity, kinematic	Not applicable (solid)
TWEEN 20 (9005-64-5)	
Viscosity, kinematic	363.636 mm²/s

SECTION 12: Ecological information

12.1. Toxicity	
Ecology - general :	The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
sodium chloride (7647-14-5)	
LC50 - Fish [1]	5840 mg/l (ASTM, 96 h, Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Lethal)
imidazole (288-32-4)	
LC50 - Fish [1]	283.6 mg/l (48 h, Leuciscus idus, Static system, Fresh water, Experimental value, Nominal concentration)
EC50 - Crustacea [1]	341.5 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	133 mg/l (DIN 38412: German standard methods for the examination of water, waste water and sludge, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
sodium hydroxide (1310-73-2)	
LC50 - Fish [1]	189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)
EC50 - Crustacea [1]	40 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proclin 300 (55965-84-9)	
LC50 - Fish [1]	0.19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
ErC50 algae	19.9 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)

12.2. Persistence and degradability

Dilurex 10X Imidazole Wash Buffer	
Persistence and degradability	Not rapidly degradable
sodium chloride (7647-14-5)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
imidazole (288-32-4)	
Persistence and degradability	Readily biodegradable in the soil, Readily biodegradable in water.
sodium hydroxide (1310-73-2)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Proclin 300 (55965-84-9)	
Persistence and degradability	Not readily biodegradable in water.
Deionized Water (7732-18-5)	
Persistence and degradability	Not rapidly degradable
TWEEN 20 (9005-64-5)	
Persistence and degradability	Readily biodegradable in water.
12.3. Bioaccumulative potential	
sodium chloride (7647-14-5)	
Bioaccumulative potential	Not bioaccumulative.
imidazole (288-32-4)	
Partition coefficient n-octanol/water (Log Pow)	-0.02 (Weight of evidence approach, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Not bioaccumulative.
sodium hydroxide (1310-73-2)	
Bioaccumulative potential	Not bioaccumulative.
Proclin 300 (55965-84-9)	
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Proclin 300 (55965-84-9)	
Partition coefficient n-octanol/water (Log Pow)	-0.32 – 0.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
TWEEN 20 (9005-64-5)	
Bioaccumulative potential	No bioaccumulation data available.
12.4. Mobility in soil	
sodium chloride (7647-14-5)	
Surface tension	73.03 mN/m (23 °C, 14.5 g/l)
Ecology - soil	No (test)data on mobility of the substance available.
imidazole (288-32-4)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1.36 – 2.32 (log Koc, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
sodium hydroxide (1310-73-2)	
Surface tension	No data available in the literature
Ecology - soil	No (test)data on mobility of the substance available.
Proclin 300 (55965-84-9)	
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
12 E. Other educres offsets	1

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations	
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
SECTION 14: Transport information	
In accordance with DOT / TDG / IMDG / IATA	
14.1. UN number	
Not regulated for transport	
14.2. UN proper shipping name	
Proper Shipping Name (DOT) Proper Shipping Name (TDG)	: Not regulated : Not regulated

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

according to Federal Register / Vol. 77, No. 58 / Monday, N	viarch 26, 2012 / Rules and Regulations
Proper Shipping Name (IMDG) Proper Shipping Name (IATA)	: Not regulated : Not regulated
14.3. Transport hazard class(es)	
DOT Transport hazard class(es) (DOT)	: Not regulated
TDG Transport hazard class(es) (TDG)	: Not regulated
IMDG Transport hazard class(es) (IMDG)	: Not regulated
IATA Transport hazard class(es) (IATA)	: Not regulated
14.4. Packing group	
Packing group (DOT) Packing group (TDG) Packing group (IMDG) Packing group (IATA)	 Not regulated Not regulated Not regulated Not regulated Not regulated
14.5. Environmental hazards	
Other information	: No supplementary information available.
14.6. Special precautions for user	
DOT Not regulated	
TDG Not regulated	
IMDG Not regulated	
IATA Not regulated	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	
Not applicable	
SECTION 15: Regulatory information	
15.1. US Federal regulations	

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory, except for: sodium chloride CAS-No. 7647-14-5 8-9% imidazole CAS-No. 288-32-4 < 0.2% sodium hydroxide CAS-No. 1310-73-2 < 0.1% Proclin 300 CAS-No. 55965-84-9 ≤ 0.5% **TWEEN 20** CAS-No. 9005-64-5 ≤ 0.2%

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

Deionized Water (7732-18-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

Deionized Water (7732-18-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. US State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases	
H290 May be corrosive to metals	
H312	Harmful in contact with skin
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

Safety Data Sheet (SDS), USA

DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness