

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Revision Date: 06 DEC 2022

# **SECTION 1: Identification**

#### Identification

Product name : Tissue Marking Dye, Royal Blue

: 7563-02, 7571 Product code

#### Recommended use and restrictions on use

Use of the substance/mixture : For laboratory and manufacturing use only.

Recommended use : Laboratory chemicals

Restrictions on use : Not for food, drug or household use

#### 1.3. **Supplier**

Astral Diagnostics Inc.

Logan Township NJ 08085 - United States

T +1 856 224 0900

800-441-0366 Technical Service; Monday-Friday: 8:00AM-5:00 PM, Eastern US Time

www.ethosbiosciences.com

#### 1.4. **Emergency telephone number**

**Emergency number** : 800-424-9300 CHEMTREC (USA) -- 24 Hours/Day, 7 Days/Week

#### SECTION 2: Hazard(s) identification

#### Classification of the substance or mixture

#### **GHS-US** classification

Flammable Liquid Category 3 Skin corrosion/irritation Category 1B Serious eye damage/eye irritation Category 2 Skin sensitization, Category 1 Germ cell mutagenicity Category 2

Carcinogenicity Category 1A

Flammable liquid and vapor

Causes severe skin burns and eye damage

Causes serious eye damage May cause an allergic skin reaction Suspected of causing genetic defects

May cause cancer

#### GHS Label elements, including precautionary statements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)



GHS07

GHS08

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H226 - Flammable liquid and vapor

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects

H350 - May cause cancer H400 - Very toxic to aquatic life

06 DEC 2022 EN (English US) Page 1

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Precautionary statements (GHS-US)

P203 - Obtain, read and follow all safety instructions before use.

P210 - Keep away from heat, hot surface, sparks, open flames and other ignition sources. No smoking.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical, lighting, ventilating equipment.

P242 - Use only non-sparking tools

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe dust/fume/gas/mist/vapors/spray.

P264+P265 - Wash hands exposed skin thoroughly after handling. Do not touch eyes.

P270 - Do not eat, drink or smoke when using this product.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear eye protection, face protection, protective clothing, protective gloves.

P301+P330+P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P301+P316 - IF SWALLOWED: Get emergency medical help immediately.

P302+P361+P354 - IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse with water for several minutes.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P354+P338 - IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P318 - If exposed or concerned, get medical advice.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use dry chemical powder, alcohol-resistant foam, carbon dioxide (CO2) to extinguish.

P391 - Collect spillage.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to comply with local, state and federal regulations.

#### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

#### **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
ammonium hydroxide	(CAS No) 1336-21-6	< 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314 Aquatic Acute 1, H400
formaldehyde	(CAS No) 50-00-0	< 5	Flam. Liq. 3, H226 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation:vapor), H331 Skin Corr. 1B, H314 Skin Sens. 1, H317 Muta. 2, H341 Caro. 1A, H350
copper(II) phthalocyanine	(CAS No) 147-14-8	11-20	Eye Irrit. 2, H319
water	(CAS No) 7732-18-5	Balance	Not classified

Full text of hazard classes and H-statements : see section 16

06 DEC 2022 EN (English US) 2/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 4: First-aid measures**

#### 4.1. Description of first aid measures

First-aid measures general : Call a physician immediately.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call

a physician immediately.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. Call a physician immediately.

First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

#### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

#### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

#### 5.2. Specific hazards arising from the chemical

Fire hazard : Flammable liquid and vapor.

Reactivity : Flammable liquid and vapor.

### 5.3. Special protective equipment and precautions for fire-fighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : No open flames, no sparks, and no smoking. Only qualified personnel equipped with suitable

protective equipment may intervene. Do not breathe mist/vapors/spray.

#### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further

information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment. Notify authorities if product enters sewers or public waters.

# 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Notify authorities if product enters sewers or

public waters.

Other information : Dispose of materials or solid residues at an authorized site.

#### 6.4. Reference to other sections

For further information refer to section 13.

06 DEC 2022 EN (English US) 3/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional hazards when processed

: In the United States, refer to OSHA 1910.1048 for requirements for handling of formaldehyde solutions.

Precautions for safe handling

: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Flammable vapors may accumulate in the container. Use explosion-proof equipment. Wear personal protective equipment. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Take all necessary technical measures to avoid or minimize the release of the product on the workplace. Limit quantities of product at the minimum necessary for handling and limit the number of exposed workers. Provide local exhaust or general room ventilation. Floors, walls and other surfaces in the hazard area must be cleaned regularly. Do not breathe mist/vapors/spray. Avoid contact with skin and eyes.

Hygiene measures

: Launder work clothing separately. Wash contaminated clothing before reuse.

Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink, or smoke when using this product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Ground/bond container and receiving equipment.

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store locked up.

Incompatible materials : Oxidizing agent.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Formaldehyde (50-00-0)			
ACGIH	ACGIH Ceiling (mg/m³)	0.37 mg/m³	
ACGIH	ACGIH Ceiling (ppm)	0.3 ppm	
OSHA	OSHA PEL (TWA) (ppm)	0.75 ppm	
OSHA	OSHA PEL (STEL) (ppm)	2 ppm	
IDLH	US IDLH (ppm)	20 ppm	
NIOSH	NIOSH REL (TWA) (ppm)	0.016 ppm	
NIOSH	NIOSH REL (ceiling) (ppm)	0.1 ppm 15 min.	

Ammonium Hydroxide (1336-21-6)		
ACGIH	ACGIH TWA (mg/m³)	17 mg/m³
ACGIH	ACGIH STEL (mg/m³)	24 mg/m³
OSHA	OSHA PEL (TWA) (mg/m³)	35 mg/m³
OSHA	OSHA PEL (TWA) (ppm)	50 ppm
IDLH	US IDLH (ppm)	300 ppm
NIOSH	NIOSH REL (TWA) (mg/m³)	18 mg/m³
NIOSH	NIOSH REL (TWA) (ppm)	25 ppm
NIOSH	NIOSH REL (STEL) (mg/m³)	27 mg/m³
NIOSH	NIOSH REL (STEL) (ppm)	35 ppm

## Water (7732-18-5)

Not applicable

06 DEC 2022 EN (English US) 4/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

None needed with adequate ventilation. If the occupational exposure limit is exceeded, use an approved organic vapor respirator. Selection of respiratory protection depends on the contaminant type, form, and concentration. Select in accordance with OSHA 1910.134 or other applicable regulations and good industrial hygiene practice.

: Not applicable

### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Slightly viscous liquid

Color : Blue

Odor : Pungent, characteristic

Odor threshold : No data available

pH : Not applicable

Melting point

: No data available Freezing point

Boiling point : No data available

: 42 °C / 107.6 °F

Relative evaporation rate (butyl acetate=1)

No data available

Flammability (solid, gas) : Not applicable.

Vapor pressure : No data available

Dalativa varianda asitu at 20 °C : No data available

Relative vapor density at 20 °C : No data available : No data available

Relative density : No data available

Specific gravity / density : No data available

Solubility : No data available

Log Pow : No data available

Auto-ignition temperature Decomposition : No data available

temperature : No data available

Viscosity, kinematic : No data available Viscosity, dynamic : No data available

Explosion limits : No data available

Explosive properties : No data available

Oxidizing properties : No data available

06 DEC 2022 EN (English US) 5/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Flammable liquid and vapor.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

#### 10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

#### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Formaldehyde (50-00-0)		
ATE US (oral)	100 mg/kg body weight	
ATE US (dermal)	300 mg/kg body weight	
ATE US (vapors)	3 mg/l/4h	
Ammonium Hydroxide (1336-21-6)		
LD50 oral rat	350 mg/kg	
ATE US (oral)	350 mg/kg body weight	
ATE US (vapors)	10.714 mg/l/4h	
Copper(II) Phthalocyanine (147-14-8)		
LD50 oral rat	> 15000 mg/kg	
Water (7732-18-5)		
LD50 oral rat	≥ 90000 mg/kg	
ATE US (oral)	90000 mg/kg body weight	
Cl /		

Skin corrosion/irritation : Causes severe skin burns and eye damage.

pH: n/a

Serious eye damage/irritation : Causes serious eye damage.

pH: n/a

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Suspected of causing genetic defects .

Carcinogenicity : May cause cancer .

06 DEC 2022 EN (English US) 6/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Formaldehyde (50-00-0)		
	IARC group 1 - Carcinogenic to humans	
	National Toxicity Program (NTP) Status	2 - Known Human Carcinogens

Reproductive toxicity : Not classified

Specific target organ toxicity – single exposure : Causes damage to organs .

Specific target organ toxicity – repeated : Not classified

exposure

. .....

Aspiration hazard : Not classified

Symptoms/effects after skin contact : Burns. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

Symptoms/effects after ingestion : Burns.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Before neutralization, the product may represent a danger to aquatic organisms.

Formaldehyde (50-00-0)		
EC50 Daphnia 2 2 mg/l		
Ammonium Hydroxide (1336-21-6)		
LC50 fish 1 0.16 - 1.1 mg/l (LC50; 96 h)		
EC50 Daphnia 1	2.08 mg/l (LC50; 48 h)	

## 12.2. Persistence and degradability

Ammonium Hydroxide (1336-21-6)		
Persistence and degradability	Readily biodegradable in water. Ozonation in water. Biodegradable in the soil. No test data on mobility of the components available. Ozonation in the air.	
Formaldehyde (50-00-0)		
Persistence and degradability	Readily biodegradable in water. No (test)data on mobility of the components available. Photodegradation in the air.	
Biochemical oxygen demand (BOD)	0.64 g O₂/g substance	
Chemical oxygen demand (COD) 1.06 g O₂/g substance		
ThOD	1.068 g O₂/g substance	
BOD (% of ThOD)	0.6	
Water (7732-18-5)		
Persistence and degradability	Not established.	

# 12.3. Bioaccumulative potential

Formaldehyde (50-00-0)		
Log Pow -0.78 - 0.0		
Bioaccumulative potential Bioaccumulation: not applicable.		
Copper(II) Phthalocyanine (147-14-8)		
BCF fish 1 0.3 - 11		
Log Pow	6.6 (at 25 °C)	

# 12.4. Mobility in soil

No additional information available

12.5.	Other ac	dverse e	ffects
-------	----------	----------	--------

Other information : Avoid release to the environment.

06 DEC 2022 EN (English US) 7/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 13: Disposal considerations**

13.1. Disposal methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to comply with local, state and federal regulations.

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

#### **Department of Transportation (DOT)**

In accordance with DOT

Not regulated

# **SECTION 15: Regulatory information**

#### 15.1. US Federal regulations

Formaldehyde (50-00-0)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
CERCLA RQ	100 lb	
SARA Section 302 Threshold Planning Quantity (TPQ)	500 lb	
Planning Quantity (TPQ)		

Ammonium Hydroxide (1336-21-6)		
Listed on the United States TSCA (Toxic Substances Control Act) inventory Subject to reporting requirements of United States SARA Section 313		
RQ (Reportable quantity, section 304 of EPA's List of Lists)	1000 lb	
SARA Section 311/312 Hazard Classes	Health hazard - Acute toxicity (any route of exposure) Health hazard - Skin corrosion or Irritation Health hazard - Serious eye damage or eye irritation	

All components of this product are listed and active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

Ammonia solution	CAS-No. 1336-21-6	28%
------------------	-------------------	-----

### 15.2. International regulations

#### CANADA

#### Formaldehyde (50-00-0)

Listed on the Canadian DSL (Domestic Substances List)

#### Ammonia solution (1336-21-6)

Listed on the Canadian DSL (Domestic Substances List)

#### Copper(II) phthalocyanine (147-14-8)

Listed on the Canadian DSL (Domestic Substances List)

WHMIS Classification Uncontrolled product according to WHMIS classification criteria

#### **EU-Regulations**

No additional information available

#### **National regulations**

# Ammonia solution (1336-21-6)

Listed on the Canadian IDL (Ingredient Disclosure List)

### Formaldehyde (50-00-0)

Listed on IARC (International Agency for Research on Cancer)

Listed as carcinogen on NTP (National Toxicology Program)

Listed on EPA Hazardous Air Pollutant (HAPS)

06 DEC 2022 EN (English US) 8/9

# Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 15.3. US State regulations

Formaldehyde (50-00-0)					
U.S California - Proposition 65 - Carcinogens List	U.S California - Proposition 65 - Developmental Toxicity	U.S California - Proposition 65 - Reproductive Toxicity - Female	U.S California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)	
Yes	No	No	No	40 μg/day	

**MARNING:** 

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**

Initial date : 11 DEC 2013 Revision date : 06 DEC 2022

#### Full text of H-statements:

H226	Flammable liquid and vapor	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H311	Toxic in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H331	Toxic if inhaled	
H341	Suspected of causing genetic defects	
H350	May cause cancer	
H400	Very toxic to aquatic life	

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause

significant irritation.

NFPA fire hazard : 1 - Materials that must be preheated before ignition can

occur.

NFPA reactivity : 0 - Material that in themselves are normally stable, even

under fire conditions.

1 0

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations SDS US (GHS HazCom 2012)

Ethos Biosciences/Astral Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. Individuals receiving this information must exercise their independent judgment in determining its appropriateness for a particular purpose. Ethos Biosciences/Astral Diagnostics . makes no representations or warranties, either expressed or implied of merchantability, fitness for particular purposes with respect to the information set forth herein or to which the information refers. Accordingly, Ethos Biosciences/Astral Diagnostics will not be responsible for damages resulting from the use of or reliance upon this information.

06 DEC 2022 EN (English US) 9/9